


CAPITAL

CUTTING TOOLS



DIE NUTS - METRIC COARSE

HIGH SPEED STEEL - GROUND THREAD

Code	Size	Pitch	AF	\$ ea.	Code	Size	Pitch	AF	\$ ea.
DN100-0305	3.0	0.5	18	50.62	DN100-3335	33	3.5	66	337.00
DN100-0402	4.0	0.7	18	50.62	DN100-3640	36	4.0	70	367.64
DN100-0508	5.0	0.8	19	50.62	DN100-3940	39	4.0	75	390.65
DN100-0610	6.0	1.0	18	30.38	DN100-4245	42	4.5	75	405.93
DN100-0710	7.0	1.0	22	41.59	DN100-4545	45	4.5	75	428.91
DN100-0812	8.0	1.25	21	41.59	DN100-4850	48	5.0	85	444.23
DN100-0912	9.0	1.25	22	43.45	DN100-5250	52	5.0	85	575.84
DN100-1015	10	1.5	24	45.30	DN100-5655	56	5.5	90	646.12
DN100-1115	11	1.5	27	50.62	DN100-6055	60	5.5	100	655.35
DN100-1217	12	1.75	28	59.46	DN100-6460	64	6.0	105	660.76
DN100-1420	14	2.0	33	69.29	DN100-6860	68	6.0	110	712.19
DN100-1620	16	2.0	33	81.57	DN100-7260	72	6.0	115	780.74
DN100-1825	18	2.5	41	81.57	DN100-7660	76	6.0	120	807.40
DN100-2025	20	2.5	38	87.71	DN100-8060	80	6.0	125	999.73
DN100-2225	22	2.5	43	87.71	DN100-8506	85	6.0	135	1009.73
DN100-2430	24	3.0	52	143.24	DN100-9060	90	6.0	135	1054.94
DN100-2730	27	3.0	57	199.14	DN100-9560	95	6.0	145	1273.95
DN100-3035	30	3.5	57	283.39	DN100-1060	100	6.0	150	1323.45


DIE NUTS - METRIC COARSE LEFT HAND

HIGH SPEED STEEL - GROUND THREAD

Code	Size	Pitch	AF	\$ ea.	Code	Size	Pitch	AF	\$ ea.
DN110-0407	4.0	0.7	18	97.32	DN110-2430	24	3.0	52	156.25
DN110-0508	5.0	0.8	18	97.32	DN110-2730	27	3.0	60	338.96
DN110-0610	6.0	1.0	19	97.32	DN110-3035	30	3.5	60	354.17
DN110-0812	8.0	1.25	22	97.32	DN110-3335	33	3.5	60	384.66
DN110-1015	10	1.5	27	100.07	DN110-3640	36	4.0	60	418.94
DN110-1217	12	1.75	36	100.07	DN110-3940	39	4.0	75	474.16
DN110-1420	14	2.0	33	105.56	DN110-4245	42	4.5	75	481.78
DN110-1620	16	2.0	33	105.56	DN110-4545	45	4.5	75	500.82
DN110-1825	18	2.5	41	122.29	DN110-4850	48	5.0	85	523.66
DN110-2025	20	2.5	38	167.33	DN110-5250	52	5.0	85	590.32
DN110-2225	22	2.5	43	167.33					

CAPITAL

CUTTING TOOLS




DIE NUTS - METRIC

HIGH SPEED STEEL - GROUND THREAD

Code	Size	Pitch	AF	\$ ea.	Code	Size	Pitch	AF	\$ ea.
DN100-0305	3.0	0.5	19	50.62	DN100-1420	14	2.0	36	69.29
DN120-0405	4.0	0.5	19	53.61	DN120-1510	15	1.0	33	109.45
DN100-0402	4.0	0.7	19	50.62	DN120-1512	15	1.25	33	109.45
DN120-0455	4.5	0.5	19	53.61	DN120-1515	15	1.5	36	109.45
DN120-0505	5.0	0.5	18	53.61	DN120-1520	15	2.0	36	109.09
DN120-0507	5.0	0.75	19	66.59	DN120-1610	16	1.0	41	91.91
DN100-0508	5.0	0.8	19	50.62	DN120-1612	16	1.25	41	109.45
DN120-0607	6.0	0.75	19	68.93	DN120-1615	16	1.5	41	91.91
DN100-0610	6.0	1.0	19	30.37	DN100-1620	16	2.0	41	81.58
DN120-0707	7.0	0.75	21	68.93	DN120-1710	17	1.0	38	109.46
DN100-0710	7.0	1.0	22	41.59	DN120-1712	17	1.25	41	109.45
DN120-0807	8.0	0.75	22	68.93	DN120-1715	17	1.5	41	109.45
DN120-0810	8.0	1.0	21	68.93	DN120-1810	18	1.0	38	91.91
DN100-0812	8.0	1.25	22	41.59	DN120-1812	18	1.25	41	109.45
DN120-0910	9.0	1.0	22	84.80	DN120-1815	18	1.5	38	91.91
DN100-0912	9.0	1.25	22	43.45	DN120-1820	18	2.0	41	109.45
DN120-1010	10	1.0	27	68.93	DN100-1825	18	2.5	41	81.58
DN120-1012	10	1.25	24	68.93	DN120-1910	19	1.0	38	109.45
DN100-1015	10	1.5	27	45.30	DN120-1912	19	1.25	41	109.45
DN120-1110	11	1.0	27	84.80	DN120-1915	19	1.5	41	109.45
DN120-1112	11	1.25	26	84.80	DN120-2010	20	1.0	41	145.52
DN100-1115	11	1.5	27	50.62	DN120-2012	20	1.25	41	109.45
DN120-1210	12	1.0	28	68.93	DN120-2015	20	1.5	38	91.91
DN120-1212	12	1.25	28	84.25	DN120-2020	20	2.0	41	145.52
DN120-1215	12	1.5	36	84.25	DN100-2025	20	2.5	41	87.71
DN100-1217	12	1.75	36	59.46	DN120-2110	21	1.0	41	155.24
DN120-1310	13	1.0	36	109.45	DN120-2112	21	1.25	41	155.24
DN120-1312	13	1.25	28	109.45	DN120-2115	21	1.5	41	155.24
DN120-1315	13	1.5	36	109.45	DN120-2210	22	1.0	50	155.24
DN120-1410	14	1.0	36	91.91	DN120-2212	22	1.25	50	155.25
DN120-1412	14	1.25	33	91.91	DN120-2215	22	1.5	43	133.27
DN120-1415	14	1.5	36	91.91	DN120-2220	22	2.0	50	155.24

CAPITAL

CUTTING TOOLS




DIE NUTS - METRIC

HIGH SPEED STEEL - GROUND THREAD

Code	Size	Pitch	AF	\$ ea.	Code	Size	Pitch	AF	\$ ea.
DN100-2225	22	2.5	50	87.71	DN120-3310	33	1.0	60	352.23
DN120-2310	23	1.0	50	155.24	DN120-3315	33	1.5	66	352.23
DN120-2312	23	1.25	50	155.24	DN120-3320	33	2.0	66	384.66
DN120-2315	23	1.5	50	168.63	DN120-3330	33	3.0	66	384.66
DN120-2410	24	1.0	50	155.24	DN100-3335	33	3.5	60	337.00
DN120-2412	24	1.25	50	155.25	DN120-3415	34	1.5	60	384.66
DN120-2415	24	1.5	52	153.18	DN120-3515	35	1.5	66	415.12
DN120-2420	24	2.0	50	153.18	DN120-3615	36	1.5	66	443.68
DN120-2425	24	2.5	52	155.24	DN120-3620	36	2.0	70	415.12
DN100-2430	24	3.0	50	143.24	DN120-3630	36	3.0	70	415.12
DN120-2510	25	1.0	52	155.24	DN100-3640	36	4.0	60	367.64
DN120-2512	25	1.25	50	142.17	DN120-3715	37	1.5	70	443.68
DN120-2515	25	1.5	52	153.18	DN120-3815	38	1.5	70	443.68
DN120-2520	25	2.0	50	237.61	DN120-3820	38	2.0	70	443.68
DN120-2610	26	1.0	50	246.81	DN120-3915	39	1.5	70	443.68
DN120-2615	26	1.5	50	246.81	DN120-3920	39	2.0	70	443.68
DN120-2620	26	2.0	50	246.81	DN120-3930	39	3.0	70	443.68
DN120-2710	27	1.0	57	264.86	DN100-3940	39	4.0	70	390.65
DN120-2715	27	1.5	57	264.86	DN120-4015	40	1.5	70	382.95
DN120-2720	27	2.0	57	223.04	DN120-4215	42	1.5	80	476.06
DN100-2730	27	3.0	60	199.14	DN120-4220	42	2.0	80	476.06
DN120-2810	28	1.0	60	279.52	DN120-4230	42	3.0	80	476.06
DN120-2815	28	1.5	60	279.52	DN120-4240	42	4.0	75	476.06
DN120-2915	29	1.5	60	305.00	DN100-4245	42	4.5	75	405.93
DN120-3010	30	1.0	57	309.68	DN120-4250	42	5.0	75	476.06
DN120-3015	30	1.5	57	268.07	DN120-4515	45	1.5	80	491.30
DN120-3020	30	2.0	57	275.73	DN120-4520	45	2.0	80	491.30
DN120-3030	30	3.0	60	275.73	DN120-4530	45	3.0	80	491.30
DN100-3035	30	3.5	60	283.38	DN120-4540	45	4.0	75	491.30
DN120-3210	32	1.0	60	339.17	DN100-4545	45	4.5	75	428.91
DN120-3215	32	1.5	57	298.70	DN120-4550	45	5.0	75	491.30
DN120-3220	32	2.0	60	384.66	DN120-4815	48	1.5	80	500.82

CAPITAL

CUTTING TOOLS



DIE NUTS - METRIC

HIGH SPEED STEEL - GROUND THREAD

Code	Size	Pitch	AF	\$ ea.	Code	Size	Pitch	AF	\$ ea.
DN120-4820	48	2.0	80	500.82	DN120-6060	60	6.0	105	655.34
DN120-4830	48	3.0	80	500.82	DN120-6315	63	1.5	105	671.31
DN120-4840	48	4.0	85	500.82	DN100-6460	64	6.0	105	660.76
DN100-4850	48	5.0	85	444.23	DN100-6860	68	6.0	110	712.19
DN120-5015	50	1.5	80	575.84	DN120-7020	70	2.0	115	910.58
DN120-5220	52	2.0	80	575.84	DN100-7260	72	6.0	115	780.74
DN120-5230	52	3.0	85	575.84	DN100-7660	76	6.0	120	807.40
DN120-5240	52	4.0	85	575.84	DN100-8060	80	6.0	125	999.73
DN100-5250	52	5.0	85	575.84	DN100-8506	85	6.0	135	1009.73
DN120-5620	56	2.0	90	644.82	DN100-9060	90	6.0	140	1054.94
DN120-5640	56	4.0	90	644.82	DN100-9560	95	6.0	145	1273.95
DN100-5655	56	5.5	90	646.12	DN100-1060	100	6.0	150	1323.45
DN100-6055	60	5.5	100	655.35					


DIE NUTS - METRIC OVERSIZE

HIGH SPEED STEEL - GROUND THREAD

Code	Size	Pitch	O/S	AF	\$ ea.	Code	Size	Pitch	O/S	AF	\$ ea.
DN146-1015.3	10	1.5	+0.3	24	68.93	DN146-2025.3	20	2.5	+0.3	41	137.86
DN146-1015.4	10	1.5	+0.4	24	68.93	DN146-2025.4	20	2.5	+0.4	41	137.86
DN146-1217.3	12	1.75	+0.3	28	79.65	DN146-2430.3	24	3.0	+0.3	50	191.48
DN146-1217.4	12	1.75	+0.4	28	79.65	DN146-2430.4	24	3.0	+0.4	50	191.48
DN146-1620.3	16	2.0	+0.3	41	110.29	DN146-3035.4	30	3.5	+0.4	60	368.04
DN146-1620.4	16	2.0	+0.4	41	110.29						

CAPITAL

CUTTING TOOLS




DIE NUTS - METRIC **LEFT HAND**

HIGH SPEED STEEL - GROUND THREAD

Code	Size	Pitch	AF	\$ ea.	Code	Size	Pitch	AF	\$ ea.
DN130-0810	8.0	1.0	22	111.31	DN130-2012	20	1.25	41	183.73
DN130-1010	10	1.0	24	111.31	DN130-2015	20	1.5	41	183.73
DN130-1012	10	1.25	24	111.31	DN130-2020	20	2.0	41	183.73
DN130-1110	11	1.0	27	111.31	DN130-2215	22	1.5	43	183.73
DN130-1210	12	1.0	36	111.31	DN130-2220	22	2.0	50	183.73
DN130-1212	12	1.25	36	115.54	DN100-2230	22	3.0	50	183.73
DN130-1215	12	1.5	36	115.54	DN130-2415	24	1.5	50	197.90
DN130-1412	14	1.25	36	119.42	DN130-2420	24	2.0	50	197.90
DN130-1415	14	1.5	36	119.42	DN130-2515	25	1.5	50	197.90
DN130-1612	16	1.25	41	119.42	DN130-3020	30	2.0	60	370.40
DN130-1615	16	1.5	33	119.42	DN130-3320	33	2.0	60	402.25
DN130-1812	18	1.25	41	137.49	DN130-3615	36	1.5	60	433.84
DN130-1815	18	1.5	38	137.49	DN130-3620	36	2.0	60	433.84
DN130-1820	18	2.0	41	137.49	DN130-4515	45	1.5	75	517.60

CAPITAL

CUTTING TOOLS



DIE NUTS - UNC

HIGH SPEED STEEL - GROUND THREAD

Code	Size	TPI	AF	\$ ea.	Code	Size	TPI	AF	\$ ea.
DN200-0632	6	32	17	58.41	DN200-4809	7/8	9	43	107.23
DN200-0832	8	32	17	45.95	DN200-5208	1"	8	52	137.86
DN200-1024	10	24	18	45.95	DN200-5407	1.1/8	7	57	229.77
DN200-1224	12	24	18	53.61	DN200-5607	1.1/4	7	57	275.73
DN200-2820	1/4	20	18	33.70	DN200-5806	1.3/8	6	66	321.68
DN200-3018	5/16	18	21	38.30	DN200-6006	1.1/2	6	70	352.32
DN200-3216	3/8	16	24	45.95	DN200-6405	1.3/4	5	80	533.77
DN200-3414	7/16	14	26	53.61	DN200-6804	2"	4.5	80	459.54
DN200-3613	1/2	13	28	58.21	DN200-7204	2.1/4	4.5	90	608.30
DN200-3812	9/16	12	33	76.59	DN200-7604	2.1/2	4	90	676.49
DN200-4011	5/8	11	33	76.59	DN200-8004	2.3/4	4	100	738.98
DN200-4410	3/4	10	38	87.31	DN200-8404	3"	4	100	815.97


DIE NUTS - UNC LEFT HAND

HIGH SPEED STEEL - GROUND THREAD

Code	Size	TPI	AF	\$ ea.	Code	Size	TPI	AF	\$ ea.
DN210-2820	1/4	20	19	92.34	DN210-4011	5/8	11	41	171.20
DN210-3018	5/16	18	22	98.72	DN210-4410	3/4	10	41	174.10
DN210-3216	3/8	16	27	98.72	DN210-4809	7/8	9	43	207.32
DN210-3414	7/16	14	27	114.24	DN210-5208	1"	8	50	232.30
DN210-3613	1/2	13	36	155.29	DN210-5607	1.1/4	7	60	363.72
DN210-3812	9/16	12	36	168.63	DN210-6006	1.1/2	6	70	445.58

CAPITAL

CUTTING TOOLS



DIE NUTS - UNF

HIGH SPEED STEEL - GROUND THREAD

Code	Size	TPI	AF	\$ ea.	Code	Size	TPI	AF	\$ ea.
DN220-0836	8	36	17	46.07	DN220-5412	1.1/8	12	57	237.43
DN220-1032	10	32	17	46.07	DN220-5512	1.3/16	12	60	350.38
DN220-1228	12	28	18	46.07	DN220-5612	1.1/4	12	57	275.73
DN220-2828	1/4	28	18	33.70	DN220-5712	1.5/16	12	66	348.48
DN220-3024	5/16	24	21	38.30	DN220-5812	1.3/8	12	66	314.02
DN220-3224	3/8	24	24	45.95	DN220-6012	1.1/2	12	70	344.66
DN220-3420	7/16	20	26	53.61	DN220-6112	1.9/16	12	70	449.41
DN220-3620	1/2	20	36	58.21	DN220-6212	1.5/8	12	70	470.36
DN220-3818	9/16	18	33	76.59	DN220-6412	1.3/4	12	80	398.27
DN220-4018	5/8	18	41	76.59	DN220-6612	1.7/8	12	80	500.82
DN220-4416	3/4	16	38	87.31	DN220-6812	2"	12	80	459.54
DN220-4814	7/8	14	43	117.95	DN220-7212	2.1/4	12	95	569.36
DN220-5212	1"	12	52	137.86	DN220-7412	2.3/8	12	95	614.92
DN220-5214	1" UNS	14	52	142.46	DN220-7612	2.1/2	12	100	643.64
DN220-5312	1.1/16	12	57	321.82	DN220-8412	3"	12	100	815.95


DIE NUTS - UNF LEFT HAND

HIGH SPEED STEEL - GROUND THREAD

Code	Size	TPI	AF	\$ ea.	Code	Size	TPI	AF	\$ ea.
DN230-2828	1/4	28	18	97.87	DN230-5412	1.1/8	12	60	337.05
DN230-3024	5/16	24	22	104.64	DN230-5512	1.3/16	12	60	359.90
DN230-3224	3/8	24	27	104.64	DN230-5612	1.1/4	12	60	369.41
DN230-3420	7/16	20	27	121.09	DN230-5812	1.3/8	12	70	377.05
DN230-3620	1/2	20	36	130.20	DN230-6012	1.1/2	12	70	451.30
DN230-3818	9/16	18	33	171.21	DN230-6212	1.5/8	12	70	483.92
DN230-4018	5/8	18	41	153.03	DN230-6412	1.3/4	12	80	500.81
DN230-4416	3/4	16	38	153.77	DN230-6612	1.7/8	12	80	517.95
DN230-4814	7/8	14	43	207.30	DN230-6812	2"	12	80	550.31
DN230-5212	1"	12	50	232.29	DN230-7212	2.1/4	12	95	588.30
DN230-5212	1" 14 UNS	14	50	232.29	DN230-7612	2.1/2	12	100	665.29
DN230-5312	1.1/16	12	60	327.54					

CAPITAL

CUTTING TOOLS



DIE NUTS - UNEF

HIGH SPEED STEEL - GROUND THREAD

Code	Size	TPI	AF	\$ ea.	Code	Size	TPI	AF	\$ ea.
DN240-2832	1/4	32	19	125.62	DN240-5020	15/16	20	50	176.44
DN240-3032	5/16	32	22	127.90	DN240-5220	1"	20	50	179.91
DN240-3232	3/8	32	24	129.72	DN240-5318	1.1/16	18	60	300.01
DN240-3428	7/16	28	26	129.72	DN240-5418	1.1/8	18	60	321.56
DN240-3628	1/2	28	36	140.07	DN240-5518	1.3/16	18	60	328.75
DN240-3824	9/16	24	36	158.16	DN240-5618	1.1/4	18	60	355.70
DN240-4024	5/8	24	41	164.10	DN240-5718	1.5/16	18	70	389.42
DN240-4224	11/16	24	41	167.54	DN240-5818	1.3/8	18	70	547.08
DN240-4420	3/4	20	38	171.24	DN240-6018	1.1/2	18	70	581.08
DN240-4620	13/16	20	38	173.94	DN240-6218	1.5/8	18	80	621.07
DN240-4820	7/8	20	43	174.74	DN240-6418	1.3/4	18	80	662.69


DIE NUTS - UNS

HIGH SPEED STEEL - GROUND THREAD

Code	Size	TPI	AF	\$ ea.	Code	Size	TPI	AF	\$ ea.
DN280-3040	5/16	40	21	109.99	DN280-5016	15/16	16	50	181.90
DN280-3424	7/16	24	27	142.58	DN280-5216	1"	16	52	183.20
DN280-3624	1/2	24	28	147.22	DN280-5218	1"	18	52	183.20
DN280-3820	9/16	20	36	163.96	DN280-5224	1"	24	52	183.20
DN280-4016	5/8	16	41	172.88	DN280-5416	1.1/8	16	60	241.28
DN280-4020	5/8	20	33	172.88	DN280-5516	1.3/16	16	60	260.48
DN280-4216	11/16	16	38	177.09	DN280-5614	1.1/4	14	60	360.14
DN280-4218	11/16	18	38	177.09	DN280-5616	1.1/4	16	60	360.14
DN280-4424	3/4	24	41	181.22	DN280-5814	1.3/8	14	70	382.83
DN280-4616	13/16	16	50	178.88	DN280-5816	1.3/8	16	70	382.83
DN280-4816	7/8	16	50	180.37	DN280-7616	2.1/2	16	100	676.49
DN280-4818	7/8	18	50	180.37	DN280-7816	2.5/8	16	100	724.48

CAPITAL

CUTTING TOOLS



DIE NUTS - 8 UN SERIES

HIGH SPEED STEEL - GROUND THREAD

Code	Size	TPI	AF	\$ ea.	Code	Size	TPI	AF	\$ ea.
DN260-5408	1.1/8	8	60	275.73	DN260-6808	2"	8	80	431.97
DN260-5608	1.1/4	8	60	275.73	DN260-7208	2.1/4	8	95	608.29
DN260-5808	1.3/8	8	70	314.02	DN260-7408	2.3/8	8	100	658.16
DN260-6008	1.1/2	8	70	382.95	DN260-7608	2.1/2	8	105	676.49
DN260-6208	1.5/8	8	70	402.87	DN260-8008	2.3/4	8	115	738.98
DN260-6408	1.3/4	8	80	398.27	DN260-8408	3"	8	120	815.96
DN260-6608	1.7/8	8	80	415.12					

DIE NUTS - BSW

HIGH SPEED STEEL - GROUND THREAD

Code	Size	TPI	AF	\$ ea.	Code	Size	TPI	AF	\$ ea.
DN300-2440	1/8	40	19	45.95	DN300-4410	3/4	10	41	87.31
DN300-2624	3/16	24	19	45.95	DN300-4809	7/8	9	50	102.63
DN300-2724	7/32	24	19	45.95	DN300-5208	1"	8	50	105.79
DN300-2820	1/4	20	19	33.70	DN300-5407	1.1/8	7	60	260.41
DN300-3018	5/16	18	21	38.30	DN300-5607	1.1/4	7	60	275.73
DN300-3216	3/8	16	27	44.85	DN300-5806	1.3/8	6	70	337.00
DN300-3414	7/16	14	27	53.61	DN300-6006	1.1/2	6	70	390.61
DN300-3612	1/2	12	28	61.27	DN300-6205	1.5/8	5	70	481.78
DN300-3812	9/16	12	36	76.59	DN300-6405	1.3/4	5	80	428.91
DN300-4011	5/8	11	41	76.59	DN300-6804	2"	4.5	80	459.54


DIE NUTS - BSF

HIGH SPEED STEEL - GROUND THREAD

Code	Size	TPI	AF	\$ ea.	Code	Size	TPI	AF	\$ ea.
DN320-2632	3/16	32	19	50.55	DN320-4412	3/4	12	41	98.04
DN320-2728	7/32	28	19	63.19	DN320-4811	7/8	11	50	114.89
DN320-2826	1/4	26	18	35.23	DN320-5210	1"	10	50	145.52
DN320-3022	5/16	22	22	42.89	DN320-5409	1.1/8	9	60	275.73
DN320-3220	3/8	20	24	49.02	DN320-5609	1.1/4	9	60	298.70
DN320-3418	7/16	28	27	61.27	DN320-6008	1.1/2	8	70	329.34
DN320-3616	1/2	16	36	65.87	DN320-6407	1.3/4	7	80	397.27
DN320-3816	9/16	16	36	79.65	DN320-6807	2"	7	80	443.16
DN320-4014	5/8	14	41	79.65					

CAPITAL

CUTTING TOOLS



DIE NUTS - BSB BRASS

HIGH SPEED STEEL - GROUND THREAD

Code	Size	TPI	AF	\$ ea.	Code	Size	TPI	AF	\$ ea.
DN340-2626	3/16	26	19	48.85	DN340-4426	3/4	26	41	125.38
DN340-2826	1/4	26	18	48.85	DN340-4626	13/16	26	50	168.31
DN340-3026	5/16	26	22	69.90	DN340-4826	7/8	26	50	184.51
DN340-3226	3/8	26	27	69.90	DN340-5026	15/16	26	50	207.10
DN340-3426	7/16	26	26	84.57	DN340-5226	1"	26	50	219.80
DN340-3626	1/2	26	36	90.08	DN340-5426	1.1/8	26	60	226.45
DN340-3826	9/16	26	36	94.50	DN340-5626	1.1/4	26	60	260.70
DN340-4026	5/8	26	41	99.38	DN340-5826	1.3/8	26	60	287.70
DN340-4226	11/16	26	41	108.28					

DIE NUTS - BSP

HIGH SPEED STEEL - GROUND THREAD

Code	Size	TPI	AF	\$ ea.	Code	Size	TPI	AF	\$ ea.
DN400-2428	1/8	28	24	71.90	DN400-5211	1"	11	66	226.24
DN400-2819	1/4	19	28	53.61	DN400-5611	1.1/4	11	70	345.91
DN400-3219	3/8	19	41	76.59	DN400-6011	1.1/2	11	85	357.35
DN400-3614	1/2	14	43	104.16	DN400-6811	2"	11	100	533.14
DN400-4014	5/8	14	50	133.27	DN400-7611	2.1/2	11	120	724.75
DN400-4414	3/4	14	52	181.44	DN400-8411	3"	11	135	815.97


DIE NUTS - BS CYCLE 60°

HIGH SPEED STEEL - GROUND THREAD

Code	Size	TPI	AF	\$ ea.	Code	Size	TPI	AF	\$ ea.
DN360-2826	1/4	26	19	53.73	DN360-3426	7/16	26	27	91.39
DN360-3026	5/16	26	22	74.05	DN360-3626	1/2	26	36	98.66
DN360-3226	3/8	26	27	74.05					

CAPITAL

CUTTING TOOLS



DIE NUTS - BSPT

HIGH SPEED STEEL - GROUND THREAD

Code	Size	TPI	AF	\$ ea.	Code	Size	TPI	AF	\$ ea.
DN460-2428	1/8	28	36	79.65	DN460-5211	1"	11	57	254.63
DN460-2819	1/4	19	28	113.35	DN460-5212	1.1/4	11	70	375.29
DN460-3219	3/8	19	33	114.89	DN460-6011	1.1/2	11	85	497.84
DN460-3614	1/2	14	43	183.64	DN460-6811	2"	11	100	612.73
DN460-4014	5/8	14	50	192.25	DN460-7611	2.1/2	11	120	805.96
DN460-4414	3/4	14	52	193.01	DN460-8411	3"	11	135	897.18

DIE NUTS - NPT

HIGH SPEED STEEL - GROUND THREAD

Code	Size	TPI	AF	\$ ea.	Code	Size	TPI	AF	\$ ea.
DN620-2427	1/8	27	24	79.65	DN620-5211	1"	11.5	57	254.63
DN620-2818	1/4	18	28	110.29	DN620-5611	1.1/4	11.5	85	375.29
DN620-3218	3/8	18	33	114.89	DN620-6011	1.1/2	11.5	85	497.84
DN620-3614	1/2	14	43	183.64	DN620-6811	2"	11.5	100	612.73
DN620-4414	3/4	14	52	188.41					



WARRAGUL TYPE DIES - METRIC

HIGH SPEED STEEL - GROUND THREAD

Code	Size	Pitch	AF	\$ ea.	Code	Size	Pitch	AF	\$ ea.
WD120-1615	16	1.5	2.3/8	206.80	WD120-3215	32	1.5	2.3/8	206.80
WD120-2015	20	1.5	2.3/8	206.80	WD120-4015	40	1.5	2.3/8	206.80
WD120-2515	25	1.5	2.3/8	206.80					

WARRAGUL TYPE DIES - BSPF

HIGH SPEED STEEL - GROUND THREAD

Code	Size	TPI	AF	\$ ea.	Code	Size	TPI	AF	\$ ea.
WD400-2819	1/4	19	2.3/8	206.80	WD400-4414	3/4	14	2.3/8	206.80
WD400-3219	3/8	19	2.3/8	206.80	WD400-5211	1"	11	2.3/8	206.80
WD400-3614	1/2	14	2.3/8	206.80					

WARRAGUL TYPE DIES - BSPT

HIGH SPEED STEEL - GROUND THREAD

Code	Size	TPI	AF	\$ ea.	Code	Size	TPI	AF	\$ ea.
WD460-2819	1/4	19	2.3/8	206.80	WD460-4414	3/4	14	2.3/8	206.80
WD460-3219	3/8	19	2.3/8	206.80	WD460-5211	1"	11	2.3/8	206.80
WD460-3614	1/2	14	2.3/8	206.80					

CAPITAL

CUTTING TOOLS




WARRAGUL TYPE DIE SETS

Code	Sizes	\$ ea.
WD100	M16 x 1.5, M20 x 1.5, M25 x 1.5, M32 x 1.5, M40 x 1.5	1033.98

EACH SET INCLUDES ONE WARRAGUL TYPE DIE PER SIZE LISTED ABOVE

CAPITAL

CUTTING TOOLS



TAP & DIE SETS

HIGH SPEED STEEL - GROUND THREAD

Code	Thread Form	Sizes	\$ ea.
SETS INCLUDE 2 TAP WRENCHES & 2 DIE STOCKS			
TDS-600	METRIC	M4, M5, M6, M8, M10, M12, M14, M16	930.90
TDS-700	UNF	10G, 12G, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8	1043.91
TDS-800	UNC	10G, 12G, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8	1122.28
SETS INCLUDE 3 TAP WRENCHES & 3 DIE STOCKS			
TDS-100	METRIC	M4, M5, M6, M8, M10, M12, M14, M16, M18, M20, M22, M24	1712.05
TDS-200	UNF	10G, 12G, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4, 7/8, 1"	1724.18
TDS-300	UNC	10G, 12G, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4, 7/8, 1"	1743.34
SETS DO NOT INCLUDE ANY TAP WRENCHES OR DIE STOCKS			
TDS-150	METRIC	M4, M5, M6, M8, M10, M12, M14, M16, M18, M20, M22, M24	1364.32
TDS-250	UNF	10G, 12G, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4, 7/8, 1"	1376.45
TDS-350	UNC	10G, 12G, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4, 7/8, 1"	1436.06

EACH SET INCLUDES A TAPER TAP, BOTTOM TAP & BUTTON DIE PER SIZE LISTED ABOVE AS WELL AS SIZE RELEVANT HOLDERS FOR BOTH TAPS AND DIES AS LISTED ABOVE

CAPITAL

CUTTING TOOLS



TAP & BUTTON DIE SETS

HIGH SPEED STEEL - GROUND THREAD

Code	Thread Form	Sizes	\$ ea.
TBDS100-0312	METRIC	M3, M4, M5, M6, M8, M10, M12	596.47
TBDS220-1036	UNF	10G, 12G, 1/4, 5/16, 3/8, 7/16, 1/2	732.13
TBDS200-1036	UNC	10G, 12G, 1/4, 5/16, 3/8, 7/16, 1/2	748.50
TBDS300-2636	BSW	3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2	769.55
TBDS320-2636	BSF	3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2	783.59
TBDS100-0316	METRIC	M3, M4, M5, M6, M8, M10, M12, M14, M16	959.02
TBDS220-1040	UNF	10G, 12G, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8	1011.65
TBDS200-1040	UNC	10G, 12G, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8	1029.19
TBDS300-2640	BSW	3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8	1046.73
TBDS320-2640	BSF	3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8	1163.69
TBDS100-0324	METRIC	M3, M4, M5, M6, M8, M10, M12, M14, M16, M18, M20, M24	1812.78
TBDS220-1052	UNF	10G, 12G, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4, 7/8, 1"	1912.19
TBDS200-1052	UNC	10G, 12G, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4, 7/8, 1"	1923.89
TBDS300-2652	BSW	3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4, 7/8, 1"	1970.67
TBDS320-2652	BSF	3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4, 7/8, 1"	2281.76

EACH SET INCLUDES A TAPER TAP, INTER TAP, BOTTOM TAP & BUTTON DIE PER SIZE LISTED ABOVE

CAPITAL

CUTTING TOOLS



TAP & DIE NUT SETS

HIGH SPEED STEEL - GROUND THREAD

Code	Thread Form	Sizes	\$ ea.
TDNS100-0312	METRIC	M3, M4, M5, M6, M8, M10, M12	720.44
TDNS220-1036	UNF	10G, 12G, 1/4, 5/16, 3/8, 7/16, 1/2	753.18
TDNS200-1036	UNC	10G, 12G, 1/4, 5/16, 3/8, 7/16, 1/2	792.95
TDNS300-2636	BSW	3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2	797.63
TDNS320-2636	BSF	3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2	901.71
TDNS100-0316	METRIC	M3, M4, M5, M6, M8, M10, M12, M14, M16	1098.19
TDNS220-1040	UNF	10G, 12G, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8	1134.45
TDNS200-1040	UNC	10G, 12G, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8	1108.71
TDNS300-2640	BSW	3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8	1115.74
TDNS320-2640	BSF	3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8	1367.18
TDNS100-0324	METRIC	M3, M4, M5, M6, M8, M10, M12, M14, M16, M18, M20, M24	2011.61
TDNS220-1052	UNF	10G, 12G, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4, 7/8, 1"	2050.20
TDNS200-1052	UNC	10G, 12G, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4, 7/8, 1"	2026.81
TDNS300-2652	BSW	3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4, 7/8, 1"	2070.08
TDNS320-2652	BSF	3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4, 7/8, 1"	2432.63

EACH SET INCLUDES A TAPER TAP, INTER TAP, BOTTOM TAP & DIE NUT PER SIZE LISTED ABOVE

CAPITAL

CUTTING TOOLS



TAP & DRILL SETS

HIGH SPEED STEEL - GROUND THREAD

Code	Thread Form	Sizes	\$ ea.
TDRS100-0312	METRIC	M3, M4, M5, M6, M8, M10, M12	329.47
TDRS220-1036	UNF	10G, 12G, 1/4, 5/16, 3/8, 7/16, 1/2	347.35
TDRS200-1036	UNC	10G, 12G, 1/4, 5/16, 3/8, 7/16, 1/2	349.69
TDRS300-2636	BSW	3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2	376.59
TDRS320-2636	BSF	3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2	376.59
TDRS100-0316	METRIC	M3, M4, M5, M6, M8, M10, M12, M14, M16	488.86
TDRS220-1040	UNF	10G, 12G, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8	506.41
TDRS200-1040	UNC	10G, 12G, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8	529.80
TDRS300-2640	BSW	3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8	555.54
TDRS320-2640	BSF	3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8	555.54
TDRS100-0324	METRIC	M3, M4, M5, M6, M8, M10, M12, M14, M16, M18, M20, M24	1058.43
TDRS220-1052	UNF	10G, 12G, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4, 7/8, 1"	1085.33
TDRS200-1052	UNC	10G, 12G, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4, 7/8, 1"	1087.66
TDRS300-2652	BSW	3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4, 7/8, 1"	1128.61
TDRS320-2652	BSF	3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4, 7/8, 1"	1233.86

EACH SET INCLUDES A TAPER TAP, BOTTOM TAP & HSS DRILL PER SIZE LISTED ABOVE

CAPITAL

CUTTING TOOLS



DIE STOCKS

Code	Size	\$ ea.
8X0-21	13/16	31.80
8X0-25	1"	20.78
8X0-33	1.5/16	72.01
8X0-38	1.1/2	46.85
8X0-50	2"	65.39
8X0-64	2.1/4	163.70
8X0-70	2.1/2	264.87
8X0-76	3"	187.21
8X0-100	4"	497.04
8X0-150	5"	655.86



ADJUSTABLE TAP WRENCHES

Code	Size	\$ ea.
8AT-A	1mm – 6mm	46.18
8AT-B	1mm – 8mm	46.18
8AT-C	4mm – 12mm	48.91
8AT-D	5mm – 20mm	78.85
8AT-E	11mm – 27mm	119.61
8AT-F	13mm – 32mm	208.38
8AT-G	18mm – 42mm	302.17
8AT-H	25mm – 50mm	373.32